MEDICINE HAT INTERPRETIVE PROGRAM Managed by Grasslands Naturalists



June 29, 2012

2012 SPRING BIRD AND FLOWER COUNT

Fellow Birders and Flower Watchers:

The main highlight for 2012 was the weather; the count day high was 6° C, there was about 20 mm of rain throughout the day, and the wind blew steadily (up to 30 km/hr) from the E-NE, making for a challenging day. Despite the poor conditions, 113 species were observed, which is only about 15% lower than the average for the past 4 years. As might be expected, numbers of individual birds were low relative to 2008-2010 counts. No new species were observed.

Some species missing from this year's count that are usually observed were double-crested cormorant, sharp-tailed grouse, veery, orange-crowned warbler, blackpoll warbler, rose-breasted grosbeak, and Baird's sparrow.

Less frequently seen species observed in 2012 and not in 2011 included golden eagle (2), MacGillivray's warbler (3), red crossbill (1), and pine siskin (1).

There were only 2 species with recorded high counts in 2012 whereas 7 species had recorded low counts; one species, double-crested cormorant, was not observed for the second year in a row after being observed in all other years (see Table 1 below).

The top five species for 2012 were: ring-billed gull (842), American robin (628), European starling (562), red-winged blackbird (505), and rock dove (486).

A magnolia warbler was seen exclusively during count week.

As for flowers in bloom, there were 65 species observed, which is well above average for the spring count. Likely, the wet spring translated into more wildflowers observed.

The number of participants decreased again from 2011 but hours of observation and distances driven and covered on foot were greater or comparable to last year (see Data Summary Table below). Many thanks to all those who volunteered their time this year!

Yours truly,

Marty

Marty Drut Count Compiler

New Species Observed in 2012: None

| 2012 Spring Bird Count – Highs and Lows | | | | | | | |
|---|------|---------------|------------------|--|--|--|--|
| Species | High | Previous High | Year | | | | |
| Wilson's Phalarope | 57 | 50 | 2004 | | | | |
| Pileated Woodpecker | 3 | 2 | 2010, 2008 | | | | |
| Species | Low | Previous Low | Year | | | | |
| Double-crested Cormorant | 0 | 0 | Second | | | | |
| | | | consecutive year | | | | |
| | | | none observed; 2 | | | | |
| | | | or more observed | | | | |
| | | | in all previous | | | | |
| | | | count years | | | | |
| American Kestrel | 5 | 8 | 1987 | | | | |
| Willet | 2 | 4 | 2011, 2006 | | | | |
| Marbled Godwit | 6 | 7 | 1997, 1987 | | | | |
| Horned Lark | 1 | 11 | 2007 | | | | |
| Cliff Swallow | 3 | 7 | 2001, 1988 | | | | |
| Brown Thrasher | 6 | 10 | 2004 | | | | |
| Common Yellowthroat | 7 | 8 | 1989 | | | | |

Table 1. 2012 Spring Bird Count All Time High and Low Observations.

| DATA SUMMARY – 2008 to 2012 | | | | | | | | |
|-----------------------------|-------|-------|--------|--------|--------|--|--|--|
| | 2012 | 2011 | 2010 | 2009 | 2008 | | | |
| Total Individuals | 7,740 | 7,801 | 13,123 | 10,297 | 11,170 | | | |
| Total Bird Species | 113 | 126 | 139 | 127 | 142 | | | |
| Total Flower Species | 65 | 46 | 53 | 32 | 33 | | | |
| Participants | 26 | 32 | 35 | 25 | 30 | | | |
| Total Km Walked | 69.5 | 71 | 86 | 76 | 95 | | | |
| Total Km Driven | 415 | 215 | 294.5 | 236 | 293 | | | |
| Hours of Observation | 69.75 | 62.75 | 86 | 86.25 | 95.25 | | | |
| on foot: | 32.25 | 39.25 | 52.5 | 50.5 | 60.25 | | | |
| by car: | 37.5 | 23.5 | 33.5 | 35.75 | 35.0 | | | |
| feeder: | 5 | 6 | 4 | 2 | 2 | | | |

Any comments or questions:

Marty Drut (403) 529-6225 marty.drut@natureline.info

Wildflowers in bloom: 65 species

Prairie Onion (*Allium textile*) Willow Species (Salix sp.) Pale Comandra (Bastard Toadflax) (Comandra umbellata) Yellow Umbrella-plant (*Eriogonum flavum*) Wild Mustard (Brassica kaber) Shepherd's Purse (*Capsella bursa-pastoris*) Western Wallflower (Prairie Rocket) (*Ervsimum asperum*) Dame's Rocket (*Hesperis matronalis*) Sand Bladderpod (*Lesquerella arenosa*) Penny Cress (*Thlaspi arvense*) Golden Currant (*Ribes aureum*) Saskatoon (*Amelanchier alnifolia*) Three-flowered Avens (Geum triflorum) Chokecherry (Prunus virginiana) Common Wild Rose (Rosa woodsii) Two-grooved Milk Vetch (Astragalus bisulcatus) Purple Milk Vetch (Astragulus dasyglottis) Missouri Milk Vetch (Astragalus missouriensis) Narrow-leaved Milk Vetch (Astragulus pectinatus) Common Caragana (Caragana arborescens) Silvery Perennial Lupine (Lupinus sericeus) Black Medic (*Medicago lupulina*) Yellow Sweet Clover (*Melilotus officinalis*) Early Yellow Locoweed (Oxytropis sericea) Golden Bean (*Thermposis rhombifolia*) Wild Vetch (Vicia Americana) Wild Blue Flax (*Linum lewisii*) Leafy Spurge (*Euphorbia esula*) Skunk-bush (*Rhus trilobata*) Early Blue Violet (*Viola adunca*) Pincushion Cactus (*Corvpantha vivipara*) Prickly-pear Cactus (Opuntia polyacantha) Silverberry (Wolf Willow) (*Elaeagnus commutata*) Hairy-fruited Wild (Prairie) Parsley (Lomatium foeniculaceum) Red-osier Dogwood (*Cornus stolonifera*) Moss Phlox (*Phlox hoodii*) Narrow-leaved Puccoon (*Lithospermum incisum*) Butter and Eggs (Toad-flax) (Linaria vulgaris)

White Beard-tongue (*Penstemon albidus*) Smooth Blue Beard-tongue (*Penstemon nitidus*) Tartarian Honeysuckle (*Lonicera tatarica*) Common Lilac (*Syringa vulgaris*) Common Yarrow (*Achillea millefolium*) Low Everlasting (Pussy-toes) (*Antennaria aprica*) Colorado Rubberplant (*Hymenoxys richardsonii*) Common Dandelion (*Taraxacum officinale*) Yellow Goat's-beard (*Tragopogon dubius*)

Others observed (not in taxonomic order):

Pygmy Flower (*Androsace septentrionalis*) Perennial Sow Thistle (Sonchus arvensis) Small Seeded False Flax (*Camelina microcarpa*) Ball Mustard (*Neslia paniculata*) Spreading Dogbane (Apocynum androsaemifolium) Silvery Groundsel (Senecio canus) Flixweed (*Descurainia sophia*) Gooseberry (*Ribes oxyacanthoides*) Tumbling Mustard (*Sisymbrium altissimum*) Pineapple Weed (*Matricaria matricarioides*) Wild Tomato (*Solanum triflorum*) Yellow Beard-tongue (Penstemon confertus) Common Peppergrass (*Lepidium densilflorum*) Lens-podded Hoary Cress (*Cardaria chalapensis*) Gumweed (*Grindelia squarrosa*) Scentless Chamomile (*Matricaria perforata*) Canada Thistle (*Cirsium arvense*) Horsetail (*Equiseteum arvense*)

PARTICIPANTS

Mark Schiebelbein Dan Schiebelbein Ashley Hart Rob Gardner Corlaine Gardner Michael Velner Rick Carrier Milt Spitzer Gary Martin Bob Frew Phil Horch Annalora Horch Michael O'Shea Cam Lockerbie Jim Knelson Mackenzie Fai **Colton Prins** Marty Drut Jim Marshall David Parberry Julie Tingley Valerie Martins Barry Anderson Judy Anderson John Slater Dale Holmes

Feeder Watchers:

Lorrine Marshall Calvin Eddy





| Species | May 27 2012 | May 28 2011 | May 30 2010 | May 24 2009 | May 25 2008 |
|---------------------------|----------------|----------------|-----------------|-----------------|-----------------|
| | 2012 | 2011 | 2010 | 2009 | 2008 |
| Pied-billed Grebe | _ | 1 | 1 | - | - |
| Horned Grebe | 1 | 2 | 5 | _ | 2 |
| Eared Grebe | 2 | 46 | 6 | 15 | 19 |
| Western Grebe | 3 | - | 2 | 3 | 1 |
| White Pelican | 66 | 79 | 110 | 144 | 159 <i>high</i> |
| Double-crested Cormorant | - | - | 12 | 16 | 40 high |
| American Bittern | | _ | - | - | - |
| Great Blue Heron | 40 | 22 | 108 | 143 | 50 |
| Black-crowned Night Heron | - | | - | - | - |
| White-faced Ibis | _ | - | - | - | 1 |
| Snow Goose | - | - | - | 1 | - |
| Canada Goose | 313 | 543 | 930 high | 596 | 549 |
| Wood Duck | 7 | 2 | 2 | 3 | 7 |
| Green-winged Teal | 10 | 8 | 11 <i>high</i> | - | 2 |
| Mallard | 303 | 238 | 457 <i>high</i> | 205 | 226 |
| Northern Pintail | 42 | 49 | 93 | 22 | 27 |
| Blue-winged Teal | 105 | 62 | 148 | 81 | 96 |
| Cinnamon Teal | 6 | 10 <i>high</i> | 9 | 6 | - |
| Northern Shoveler | 85 | 144 | 154 | 78 | 109 |
| Gadwall | 18 | 35 | 97 | 176 <i>high</i> | 88 |
| Eurasian Wigeon | - | - | 1 | 6 high | - |
| American Wigeon | 11 | 26 | 54 high | 16 | 26 |
| Canvasback | 47 | 26 | 26 | 20 | 25 |
| Redhead | 3 | 13 | 11 | 18 | 38 high |
| Ring-necked Duck | - | 4 | - | - | 1 |
| Lesser Scaup | 27 | 9 | 68 | 19 | 14 |
| Greater Scaup | - | - | 5 | 2 | 8 high |
| Common Goldeneye | 12 | 2 | 20 | 16 | 25 |
| Bufflehead | 12 | - | 5 | - | 1 |
| Hooded Merganser | - | - | - | - | - |
| Red-breasted Merganser | - | - | - | - | 2 |
| Common Merganser | 12 | 4 <i>low</i> | 24 | 9 | 22 |
| Ruddy Duck | - | 5 | 1 | 11 | 1 |
| Turkey Vulture | 1 | 5 | 23 high | 22 | 23 <i>high</i> |
| Osprey | 1 | - | - | 3 | 5 high |
| Northern Harrier | 3 | 6 | 3 | 12 | 18 |
| Bald Eagle | 1 | 5 | 5 | 7 high | 2 |
| Sharp-shinned Hawk | - | 2 | 1 | - | - |
| Cooper's Hawk | 1 | 2 | 2 | 1 | 1 |
| Broad-winged Hawk | - | - | 1 | 1 | 1 |
| Swainson's Hawk | 16 | 13 | 27 | 20 | 24 |
| Red-tailed Hawk | 7 | 7 | 8 | 19 <i>high</i> | 17 |
| Ferruginous Hawk | 1 | 1 | - | - | 1 |
| Rough-legged Hawk | 1 | - | - | 1 | 2 high |

| Species | May 27 | May 28 | May 30 | May 24 | May 25 |
|------------------------|--------------|---------------|---------------|---------------|---------|
| | 2012 | 2011 | 2010 | 2009 | 2008 |
| Caldan Eagla | 2 | | | | |
| Golden Eagle | | - | - | - | - |
| American Kestrel | 5 <i>low</i> | 11 | 13 | 14 | 16 |
| Merlin | 4 | 5 | 10 | 7 | 10 |
| Prairie Falcon | 1 | 1 | 6 <i>high</i> | 4 | 4 |
| Peregrine Falcon | - | - | - | - | 1 NEW! |
| Gray Partridge | 8 | 2 | 8 | 12 | 13 |
| Ring-necked Pheasant | 55 | 35 | 62 | 87 | 92 high |
| Sharp-tailed Grouse | - | 3 | - | - | 3 |
| Yellow Rail | - | 1 NEW! | - | - | - |
| Virginia Rail | - | 1 | - | - | - |
| Sora | 3 | 4 | 5 | 6 | 13 |
| American Coot | 9 | 34 | 20 | 54 | 66 high |
| Killdeer | 39 | 26 <i>low</i> | 27 | 26 <i>low</i> | 46 |
| Black-necked Stilt | - | - | 1 | - | - |
| American Avocet | 4 | 5 | 24 | 2 | 6 |
| Greater Yellowlegs | - | - | - | 1 | - |
| Lesser Yellowlegs | - | - | - | 3 | - |
| Solitary Sandpiper | - | 4 | 1 | - | 1 |
| Willet | 2 <i>low</i> | 4 | 11 | 11 | 22 |
| Spotted Sandpiper | 28 | 5 <i>low</i> | 35 | 31 | 15 |
| Upland Sandpiper | - | - | - | 3 | - |
| Whimbrel | - | - | - | - | 5 high |
| Long-billed Curlew | 8 | 3 | 16 | 8 | 9 |
| Marbled Godwit | 6 <i>low</i> | 16 | 68 high | 18 | 32 |
| Baird's Sandpiper | - | - | 1 NEW! | - | - |
| "Peeps" Species | - | 15 | - | - | - |
| Wilson's Snipe | 22 | 17 | 10 | 15 | 27 |
| Wilson's Phalarope | 57 high | 8 | 35 | 28 | 40 |
| Red-necked Phalarope | - | - | 2 NEW! | - | - |
| Franklin's Gull | 200 | 9 | 1,006 | 213 | 127 |
| | | | high | | |
| Ring-billed Gull | 842 | 88 | 862 | 350 | 598 |
| California Gull | 164 | 15 | 158 | 64 | 29 |
| "White-headed Gulls" | 12 | 3 | 16 | - | 14 |
| Common Tern | 10 | - | 3 | 16 | 4 |
| Caspian Tern | - | 1 | - | - | 6 |
| Forster's Tern | - | - | - | - | 1 |
| Black Tern | - | - | 2 | - | 5 |
| Rock Pigeon | 486 | 233 | 488 | 383 | 446 |
| Mourning Dove | 109 | 97 | 156 | 299 | 313 |
| Eurasian-collared Dove | 7 | 13 high | 11 | 7 | 5 |
| Black-billed Cuckoo | - | - | CW | - | - |
| Great Horned Owl | 3 | 3 | 4 | 10 | 13 |
| Short-eared Owl | - | 1 | - | - | - |
| Common Nighthawk | | - | 1 | - | - |

| Species | May 27 | May 28 | May 30 | May 24 | May 25 |
|-----------------------------|--------------|-----------------|----------------|-----------------|--------|
| | 2012 | 2011 | 2010 | 2009 | 2008 |
| | | ſ | 1 | | Г |
| Belted Kingfisher | 6 | 1 | 4 | 6 | 7 |
| Pileated Woodpecker | 3 high | 1 | 2 | - | 2 |
| Yellow-bellied Sapsucker | - | - | - | - | 1 |
| Red-naped Sapsucker | - | - | - | - | - |
| Sapsucker Species | - | - | 1 | - | - |
| Downy Woodpecker | 12 | 30 <i>high</i> | 16 | 24 | 19 |
| Hairy Woodpecker | 3 | 3 | 4 | 1 | 1 |
| Northern Flicker | 30 | 47 | 82 | 48 | 76 |
| Western Wood Pewee | 2 | - | 3 | 7 | 1 |
| Olive-sided Flycatcher | - | - | - | - | - |
| "Trail's Flycatcher" = | - | - | - | - | 2 |
| (Alder & Willow Flycatcher) | - | | | | |
| Yellow-bellied Flycatcher | - | - | 2 | - | CW |
| Willow Flycatcher | - | - | - | 1 | CW |
| Least Flycatcher | 44 | 139 <i>high</i> | 89 | 57 | 41 |
| Empidonax Species | - | 1 | 18 | - | - |
| Eastern Phoebe | - | - | 1 | 1 | - |
| Say's Phoebe | 2 | - | 2 | 2 | 2 |
| Western Kingbird | 55 | 11 | 75 | 98 | 38 |
| Eastern Kingbird | 24 | 28 | 125 | 92 | 31 |
| Horned Lark | 1 <i>low</i> | 26 | 44 | 16 | 45 |
| Tree Swallow | 80 | 82 | 173 | 305 <i>high</i> | 204 |
| Violet-green Swallow | 28 | 13 | 61 <i>high</i> | 36 | 4 |
| N. Roughed-winged | 4 | 8 | 6 | 9 | 12 |
| Swallow | | | | | |
| Bank Swallow | 97 | 46 | 57 | 46 | 122 |
| Cliff Swallow | 3 <i>low</i> | 105 | 215 | 68 | 91 |
| Barn Swallow | 43 | 94 | 39 | 35 | 39 |
| Purple Martin | - | - | - | - | - |
| Swallow Species | 10 | - | - | - | - |
| Blue Jay | 6 | 7 | 11 | 18 <i>high</i> | 9 |
| Black-billed Magpie | 148 | 89 <i>low</i> | 236 | 196 | 213 |
| American Crow | 71 | 68 | 69 | 110 | 123 |
| Common Raven | - | - | 9 high | - | - |
| Black-capped Chickadee | 39 | 72 high | 71 | 56 | 60 |
| Red-breasted Nuthatch | 13 | 14 | 22 | 22 | 13 |
| White-breasted Nuthatch | - | - | 3 | 3 | - |
| Rock Wren | 4 | 9 | 31 <i>high</i> | 2 | - |
| House Wren | 102 | 195 | 136 | 256 | 215 |
| Marsh Wren | - | 2 | 2 | 1 | 7 high |
| Ruby-crowned Kinglet | - | 1 | - | - | 1 |
| Mountain Bluebird | - | - | - | - | - |
| Veery | - | 3 | 2 | - | 2 |
| Swainson's Thrush | 4 | 18 | 19 | 23 | 24 |

| Species | May 27 | May 28 | May 30 | May 24 | May 25 |
|---|--------------|---------------|-----------------|-----------------|-----------------|
| | 2012 | 2011 | 2010 | 2009 | 2008 |
| Hermit Thrush | | | 11 | | |
| American Robin | 628 | 732 | 918 <i>high</i> | 894 | - 819 |
| Gray Catbird | 23 | 49 | 81 | 54 | 69 |
| Northern Mockingbird | - | - | - | - | 1 |
| Brown Thrasher | 6 <i>low</i> | 19 | 29 | 62 | 67 |
| Sprague's Pipit | 1 | 7 | 10 | 10 | 10 |
| Cedar Waxwing | 10 | 4 | 26 | - | 56 |
| Loggerhead Shrike | 3 | | 1 | _ | 1 |
| Northern Shrike | _ | - | - | 2 | 2 NEW! |
| European Starling | 562 | 1,048 | 1,171 | 878 | 779 |
| Blue-headed Vireo (Solitary) | _ | - | - | - | CW |
| Warbling Vireo | 20 | 7 | 9 | 21 | 9 |
| Red-eyed Vireo | - | 2 | 8 high | - | 5 |
| Orange-crowned Warbler | - | 7 | 6 | 2 | 10 |
| Tennessee Warbler | - | 11 | 7 | 3 | 11 |
| Yellow Warbler | 215 | 417 | 270 | 377 | 290 |
| Magnolia Warbler | CW | - | - | - | - |
| Yellow-rumped Warbler | - | 2 | 1 | 6 | 7 |
| Blackpoll Warbler | - | 7 | 1 | 17 | 4 |
| Ovenbird | - | 3 | - | - | CW |
| Northern Waterthrush | - | - | - | - | 1 |
| Black-and-white Warbler | - | - | - | 1 | - |
| American Redstart | 2 | - | 5 | 1 | 1 |
| MacGillivray's Warbler | 3 | - | - | - | - |
| Common Yellowthroat | 7 <i>low</i> | 9 | 13 | 19 | 12 |
| Wilson's Warbler | - | - | 1 | 2 | CW |
| Yellow-breasted Chat | 1 | 3 4 | 2 | 1 | CW |
| Warbler Species | - | 2 | 3 | - | - 1 |
| Rose-breasted Grosbeak Black-headed Grosbeak | - | | | 1 | |
| Lazuli Bunting | - 2 | 1 <i>high</i> | - 5 | - 1 | - 6 |
| Spotted Towhee | 18 | 15 | 32 | 61 | 47 |
| American Tree Sparrow | - | 15 | 52 | - | 4/ |
| Chipping Sparrow | 15 | 149 | 151 | 82 | 309 <i>high</i> |
| Clay-coloured Sparrow | 23 | 107 | 83 | 168 <i>high</i> | 145 |
| Brewer's Sparrow | - | - | 3 | - | - |
| Vesper Sparrow | 55 | 22 | 58 | 117 | 137 high |
| Lark Sparrow | 13 | 15 | 35 | 80 | 52 |
| Lark Bunting | 7 | - | - | 1 | 16 |
| Savannah Sparrow | 20 | 53 | 24 | 40 | 55 |
| Baird's Sparrow | - | 1 | 2 | 3 | 3 |
| Nelson's Sharp-tailed | - | - | - | - | 5 NEW! |
| Sparrow | | | | | |
| Grasshopper Sparrow | - | - | - | 3 | - |

| Species | May 27 2012 | May 28 2011 | May 30 2010 | May 24 2009 | May 25 2008 | | | |
|----------------------------|----------------|----------------|----------------|----------------|----------------|--|--|--|
| | | | | | | | | |
| Song Sparrow | 2 | 2 | 9 | 15 | 7 | | | |
| White-throated Sparrow | - | 1 | 1 | - | - | | | |
| White-crowned Sparrow | - | 7 | 1 | - | 6 | | | |
| Lincoln's Sparrow | - | - | - | 1 | 2 | | | |
| Harris's Sparrow | - | - | - | - | 3 | | | |
| Sparrow Species | 40 | - | - | - | - | | | |
| Dark-eyed Junco | - | - | - | 2 | 2 | | | |
| Chestnut-collared Longspur | - | 2 | 3 | - | - | | | |
| Bobolink | - | - | 1 | - | - | | | |
| Red-winged Blackbird | 505 | 378 | 648 | 634 | 878 | | | |
| Western Meadowlark | 257 | 217 | 219 | 368 | 425 | | | |
| Yellow-headed Blackbird | 55 | 111 | 160 | 123 | 357 high | | | |
| Brewer's Blackbird | 335 | 252 | 409 | 268 | 480 | | | |
| Common Grackle | 310 | 344 | 337 | 323 | 330 | | | |
| Brown-headed Cowbird | 80 | 128 | 146 | 178 | 190 | | | |
| Baltimore Oriole | 35 | 35 | 61 | 25 | 45 | | | |
| Red Crossbill | 1 | - | - | - | - | | | |
| Pine Siskin | 1 | - | 10 | - | - | | | |
| American Goldfinch | 45 | 98 | 83 | 46 | 31 | | | |
| House Finch | 53 | 61 | 91 | 22 | 52 | | | |
| Purple Finch | - | 5 high | - | - | 1 | | | |
| House Sparrow | 307 | 312 | 856 | 482 | 410 | | | |
| TOTAL INDIVIDUALS | 7,740 | 7,801 | 13,123 | 10,297 | 11,170 | | | |
| TOTAL SPECIES | 113 | 126 | 139 | 127 | 142 | | | |